

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
360046	MCCULLOUGH-HYDE MEMORIAL HOSPITAL

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
110 NORTH POPLAR STREET		

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
OXFORD	OH	45056

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
BUTLER	5135232111

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - A wound that splits open after surgery

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Accidental cuts and tears from medical treatment

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Serious Complications

No Different than U.S. National Rate

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Suppressed for one or more quarters by CMS.

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

Suppressed for one or more quarters by CMS.

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths from Certain Conditions

Suppressed for one or more quarters by CMS.

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

30

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

99.62

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery

49.27

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery

149.97

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment

1629

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.41

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Collapsed lung due to medical treatment

0

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment

0.82

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery

285

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery

6.95

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery

2.78

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery

11.12

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery

50

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery

0.79

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - A wound that splits open after surgery

0

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - A wound that splits open after surgery

2.91

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment

1705

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.67

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment

0

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment

3.59

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious Complications

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

AHRQ data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available